

# Champagne & Strawberries

## Fragrance Oil

<b>Product:</b>	Champagne & Strawberries Fragrance Oil
<b>Issue date:</b>	14/05/2026
<b>Version:</b>	1
<b>Document type:</b>	Safety Data Sheet (UN GHS)

## Section 1. Identification of the substance or mixture and of the supplier

### 1.1 Product Identifier

<b>Product identifier:</b>	Champagne & Strawberries Fragrance Oil
<b>Other identifiers:</b>	None

### 1.2 Relevant identified uses of the substance or mixture

<b>Product uses:</b>	Fragrances — for use in candles, melts, and personal care products in accordance with good manufacturing and industrial hygiene practices.
<b>Uses advised against:</b>	Not for undiluted skin application or ingestion.

### 1.3 Details of the supplier of the safety data sheet

<b>Company name:</b>	Wickii
<b>Company address:</b>	Baringa, QLD 4551, Australia
<b>Website:</b>	wickii.com.au
<b>Contact:</b>	Customer Service
<b>Email:</b>	hello@wickii.com.au

### 1.4 Emergency telephone number

<b>Poisons Information Centre (Australia):</b>	13 11 26 (24 hours)
<b>Emergency services:</b>	000

## Section 2. Hazards identification

### 2.1 Classification of the substance or mixture

#### Class and category of danger:

- Acute Toxicity — Oral Category 5
- Skin Corrosion / Irritation Category 3
- Sensitization — Skin Category 1
- Aspiration Hazard Category 1
- Hazardous to the Aquatic Environment — Acute Hazard Category 1
- Hazardous to the Aquatic Environment — Long-term Hazard Category 2

- H303** — May be harmful if swallowed.  
**H304** — May be fatal if swallowed and enters airways.  
**H316** — Causes mild skin irritation.  
**H317** — May cause an allergic skin reaction.  
**H400** — Very toxic to aquatic life.  
**H411** — Toxic to aquatic life with long lasting effects.

## 2.2 Label elements

**Signal word:** **Danger**

### Hazard statements:

- H303** — May be harmful if swallowed.  
**H304** — May be fatal if swallowed and enters airways.  
**H316** — Causes mild skin irritation.  
**H317** — May cause an allergic skin reaction.  
**H400** — Very toxic to aquatic life.  
**H411** — Toxic to aquatic life with long lasting effects.

### Precautionary statements:

- P101** — If medical advice is needed, have product container or label at hand.  
**P102** — Keep out of reach of children.  
**P261** — Avoid breathing vapour or dust.  
**P272** — Contaminated work clothing should not be allowed out of the workplace.  
**P273** — Avoid release to the environment.  
**P280** — Wear protective gloves / eye protection / face protection.  
**P301/310** — IF SWALLOWED: Immediately call a POISON CENTRE or doctor / physician.  
**P302/352** — IF ON SKIN: Wash with plenty of soap and water.  
**P312** — Call a POISON CENTRE or doctor / physician if you feel unwell.  
**P331** — Do not induce vomiting.  
**P333/313** — If skin irritation or rash occurs: Get medical advice / attention.  
**P363** — Wash contaminated clothing before reuse.  
**P391** — Collect spillage.  
**P405** — Store locked up.  
**P501** — Dispose of contents / container to approved disposal site, in accordance with local regulations.

**Pictograms:** GHS07 (Exclamation mark), GHS08 (Health hazard), and GHS09 (Environment)

## 2.3 Other hazards

**Hydrocarbon Concentration %:** 24.9027%

**PBT / vPvB assessment:** Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

## Section 3. Composition / information on ingredients

### 3.2 Mixtures

#### Contains:

Name	CAS	%	GHS Classification
Benzyl benzoate	120-51-4	20-<50%	Acute Tox. 4 - Acute Tox. 5 - Aquatic Acute 1 - Aquatic Chronic 2; H302-H313-H400-H411
Isoparaffinic hydrocarbon	64742-47-8	10-<20%	Asp. Tox 1; H304

Name	CAS	%	GHS Classification
4-tert-Butylcyclohexyl acetate	32210-23-4	5-<10%	Acute Tox. 5 - Skin Sens. 1B - Aquatic Acute 2; H303-H317-H401
2-tert-Butylcyclohexyl acetate	88-41-5	5-<10%	Flam. Liq. 4 - Acute Tox. 5 - Skin Irrit. 3 - Aquatic Acute 2 - Aquatic Chronic 2; H227-H303-H316-H411
beta-Caryophyllene	87-44-5	1-<5%	Skin Sens. 1B - Asp. Tox 1 - Aquatic Chronic 4; H304-H317-H413
alpha-iso-Methylionone	127-51-5	1-<5%	Skin Irrit. 3 - Skin Sens. 1B - Aquatic Acute 2 - Aquatic Chronic 2; H317-H316-H411
Linalyl acetate	115-95-7	1-<5%	Flam. Liq. 4 - Skin Irrit. 2 - Eye Irrit. 2B - Skin Sens. 1B - Aquatic Acute 3; H227-H317-H315-H320-H402
Benzyl acetate	140-11-4	1-<5%	Acute Tox. 5 - Aquatic Acute 2 - Aquatic Chronic 3; H303-H412-H401
Ethyl methylphenylglycidate	77-83-8	1-<5%	Skin Sens. 1B - Aquatic Acute 2 - Aquatic Chronic 2; H317-H411
gamma-Undecalactone	104-67-6	1-<5%	Skin Irrit. 3 - Aquatic Acute 3 - Aquatic Chronic 3; H316-H412
4-(p-Hydroxyphenyl)-2-butanone	5471-51-2	1-<5%	Aquatic Acute 3; H402
Methyl dihydrojasmonate	24851-98-7	1-<5%	Aquatic Acute 3; H402
beta-Pinene	127-91-3	1-<5%	Flam. Liq. 3 - Skin Irrit. 2 - Skin Sens. 1B - Asp. Tox 1 - Aquatic Acute 1 - Aquatic Chronic 1; H226-H304-H317-H315-H410
Geranyl acetate	105-87-3	1-<5%	Skin Irrit. 2 - Skin Sens. 1B - Aquatic Acute 2 - Aquatic Chronic 3; H317-H315-H412-H401
alpha,alpha-Dimethylphenethyl butyrate	10094-34-5	1-<5%	Aquatic Acute 2 - Aquatic Chronic 2; H411
d-Limonene	5989-27-5	0.1-<1%	Flam. Liq. 3 - Skin Irrit. 2 - Skin Sens. 1B - Asp. Tox 1 - Aquatic Acute 1 - Aquatic Chronic 1; H226-H304-H317-H315-H410
dl-Citronellol	106-22-9	0.1-<1%	Acute Tox. 5 - Skin Irrit. 2 - Eye Irrit. 2A - Skin Sens. 1B - Aquatic Acute 2; H303-H317-H313-H315-H319-H401
delta-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one	57378-68-4	0.1-<1%	Acute Tox. 4 - Skin Irrit. 2 - Skin Sens. 1A - Aquatic Acute 1 - Aquatic Chronic 1; H302-H317-H315-H410
2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde	68039-49-6	0.1-<1%	Flam. Liq. 4 - Acute Tox. 5 - Skin Irrit. 2 - Eye Irrit. 2A - Skin Sens. 1B - Aquatic Acute 2 - Aquatic Chronic 2; H227-H303-H317-H315-H319-H411
4-Methyl-3-decen-5-ol	81782-77-6	0.1-<1%	Flam. Liq. 4 - Aquatic Acute 1 - Aquatic Chronic 2; H227-H400-H411
2-Methyl-3-(p-isopropylphenyl)propionaldehyde	103-95-7	0.1-<1%	Flam. Liq. 4 - Acute Tox. 5 - Skin Irrit. 2 - Skin Sens. 1B - Aquatic Acute 2 - Aquatic Chronic 3; H227-H303-H317-H315-H412-H401
alpha-Terpineol	98-55-5	0.1-<1%	Flam. Liq. 4 - Acute Tox. 5 - Skin Irrit. 2 - Eye Irrit. 2A - Aquatic Acute 2; H227-H303-H315-H319-H401
Linalool	78-70-6	0.1-<1%	Flam. Liq. 4 - Acute Tox. 5 - Skin Irrit. 2 - Eye Irrit. 2A - Skin Sens. 1B - Aquatic Acute 3; H227-H303-H317-H315-H319-H402
Methyl cinnamate	103-26-4	0.1-<1%	Acute Tox. 5 - Skin Sens. 1B; H303-H317
(E)-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one	24720-09-0	0.1-<1%	Acute Tox. 4 - Acute Tox. 5 - Skin Sens. 1B - Aquatic Acute 2 - Aquatic Chronic 2; H302-H317-H313-H411
Tetrahydro-4-methyl-2-(2-methylpropen-1-yl)pyran	16409-43-1	0.1-<1%	Flam. Liq. 4 - Acute Tox. 5 - Skin Irrit. 2 - Eye Irrit. 2A - Repr. 2 - Aquatic Acute 3; H227-H303-H315-H319-H361-H402

Name	CAS	%	GHS Classification
alpha-Pinene	80-56-8	0.1-<1%	Flam. Liq. 3 - Acute Tox. 4 - Skin Irrit. 2 - Skin Sens. 1B - Asp. Tox 1 - Aquatic Acute 1 - Aquatic Chronic 1; H226-H302-H304-H317-H315-H410
Allyl hexanoate	123-68-2	0.1-<1%	Flam. Liq. 4 - Acute Tox. 3 - Acute Tox. 3 - Acute Tox. 3 - Aquatic Acute 1 - Aquatic Chronic 3; H227-H301-H311-H331-H400-H412
Benzyl cinnamate	103-41-3	0.1-<1%	Acute Tox. 5 - Skin Sens. 1B - Aquatic Acute 1 - Aquatic Chronic 2; H303-H317-H400-H411
Maltyl isobutyrate	65416-14-0	0.1-<1%	Acute Tox. 5 - Skin Sens. 1B - Aquatic Acute 3; H303-H317-H402

**Substances with workplace exposure limits, not listed above:** Not Applicable

## Section 4. First-aid measures

### 4.1 Description of first aid measures

<b>Inhalation:</b>	Remove from exposure site to fresh air, keep at rest, and obtain medical attention.
<b>Eye exposure:</b>	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
<b>Skin exposure:</b>	IF ON SKIN: Wash with plenty of soap and water.
<b>Ingestion:</b>	IF SWALLOWED: Immediately call a POISON CENTRE or doctor / physician. Do not induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

May be harmful if swallowed. May be fatal if swallowed and enters airways. May cause an allergic skin reaction. Causes mild skin irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

None expected. See Section 4.1 for further information.

## Section 5. Firefighting measures

### 5.1 Extinguishing media

**Suitable media:** Carbon dioxide, dry chemical, foam.

### 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: carbon monoxide, unidentified organic compounds.

### 5.3 Advice for fire fighters

In case of insufficient ventilation, wear suitable respiratory equipment.

## Section 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Sections 7 and 8.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water, and soil.

### 6.3 Methods and material for containment and cleaning up

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

## 6.4 Reference to other sections

Also refer to Sections 8 and 13.

# Section 7. Handling and storage

## 7.1 Precautions for safe handling

Keep away from heat, sparks, open flames and hot surfaces — No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink or smoke when using this product.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Ground / bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

## 7.3 Specific end use(s)

Fragrances: use in accordance with good manufacturing and industrial hygiene practices.

# Section 8. Exposure controls / personal protection

## 8.1 Control parameters

**Workplace exposure limits:** Not Applicable

## 8.2 Exposure Controls

**Eye / Skin Protection:** Wear protective gloves, eye protection and face protection.

**Respiratory Protection:** Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature, or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel:

- a) Increase ventilation of the area with local exhaust ventilation.
- b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters.
- c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

# Section 9. Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

<b>Appearance:</b>	Not determined
<b>Odour:</b>	Not determined
<b>Odour threshold:</b>	Not determined
<b>pH:</b>	Not determined
<b>Melting point / freezing point:</b>	Not determined
<b>Boiling point or initial boiling point and range:</b>	Not determined
<b>Flammability:</b>	Not determined
<b>Lower and upper explosion limit:</b>	Not determined
<b>Flash point:</b>	> 100 °C
<b>Auto-ignition temperature:</b>	Not determined
<b>Decomposition temperature:</b>	Not relevant

<b>Kinematic viscosity:</b>	Not determined
<b>Solubility:</b>	Not determined
<b>Partition coefficient: n-octanol / water (log value):</b>	Not determined
<b>Vapour pressure:</b>	Not determined
<b>Density and/or relative density:</b>	Not determined
<b>Relative vapour density:</b>	Not determined
<b>Particle characteristics:</b>	Not determined

## 9.2 Other information

None available.

## Section 10. Stability and reactivity

### 10.1 Reactivity

Presents no significant reactivity hazard, by itself or in contact with water.

### 10.2 Chemical stability

Good stability under normal storage conditions.

### 10.3 Possibility of hazardous reactions

Not expected under normal conditions of use.

### 10.4 Conditions to avoid

Avoid extreme heat.

### 10.5 Incompatible materials

Avoid contact with strong acids, alkalis or oxidising agents.

### 10.6 Hazardous decomposition products

Not expected.

## Section 11. Toxicological information

### 11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.

<b>Acute Toxicity:</b>	Acute Toxicity — Oral Category 5
<b>Acute Toxicity Oral:</b>	3506
<b>Acute Toxicity Dermal:</b>	>5000
<b>Acute Toxicity Inhalation:</b>	Not Available
<b>Skin corrosion / irritation:</b>	Skin Corrosion / Irritation Category 3
<b>Serious eye damage / irritation:</b>	Based on available data the classification criteria are not met.
<b>Respiratory or skin sensitisation:</b>	Sensitization — Skin Category 1
<b>Germ cell mutagenicity:</b>	Based on available data the classification criteria are not met.
<b>Carcinogenicity:</b>	Based on available data the classification criteria are not met.
<b>Reproductive toxicity:</b>	Based on available data the classification criteria are not met.
<b>STOT-single exposure:</b>	Based on available data the classification criteria are not met.

**STOT-repeated exposure:** Based on available data the classification criteria are not met.

**Aspiration hazard:** **Aspiration Hazard Category 1**

#### Information about hazardous ingredients in the mixture

Ingredient	CAS	LD50 Oral (mg/kg)	LD50 Dermal (mg/kg)	LC50 Inhalation	Route
2-tert-Butylcyclohexyl acetate	88-41-5	4600			
4-tert-Butylcyclohexyl acetate	32210-23-4	3370			
Allyl hexanoate	123-68-2	300	300	3	Vapour
Benzyl acetate	140-11-4	2490			
Benzyl benzoate	120-51-4	1500	4000		

Refer to Sections 2 and 3 for additional information.

## Section 12. Ecological information

### 12.1 Toxicity

Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

**12.2 Persistence and degradability:** Not available

**12.3 Bioaccumulative potential:** Not available

**12.4 Mobility in soil:** Not available

**12.5 Other adverse effects:** Not available

## Section 13. Disposal considerations

### 13.1 Waste treatment methods

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## Section 14. Transport information

	14.1 UN Number	14.2 UN Proper Shipping Name	14.3 Class	Sub Risk	14.4 PG
UN Model Regulations	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate, beta-Pinene)	9	—	III
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate, beta-Pinene) — MARINE POLLUTANT	9	—	III
ADR, RID, ADN	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate, beta-Pinene)	9	—	III
ICAO TI	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate, beta-Pinene)	9	—	III

**14.5 Environmental hazards:** Classified as an environmentally hazardous substance under the UN Model Regulations. Classified as a Marine Pollutant under the IMDG Code.

**14.6 Special precautions for user:** None additional

**14.7 Maritime transport in bulk:** Not applicable

## Section 15. Regulatory information

None additional.

## Section 16. Other information

**Concentration % Limits:** SCI 3 = 9.67% | SS 1 = 12.50% | AH 1 = 40.16% | EH A1 = 63.54% | EH A2 = 6.00% | EH A3 = 0.5993% | EH C2 = 32.08% | EH C3 = 3.18% | EH C4 = 41.68%

**Total Fractional Values:** SCI 3 = 10.34 | SS 1 = 8.00 | AH 1 = 2.49 | EH A1 = 1.57 | EH A2 = 16.65 | EH A3 = 166.85 | EH C2 = 3.12 | EH C3 = 31.40 | EH C4 = 2.40

### Key to abbreviations

Abbreviation	Meaning
Acute Tox. 3	Acute Toxicity — Oral / Dermal / Inhalation Category 3
Acute Tox. 4	Acute Toxicity — Oral Category 4
Acute Tox. 5	Acute Toxicity — Dermal / Oral Category 5
Aquatic Acute 1 / 2 / 3	Hazardous to the Aquatic Environment — Acute Hazard Category 1 / 2 / 3
Aquatic Chronic 1 / 2 / 3 / 4	Hazardous to the Aquatic Environment — Long-term Hazard Category 1 / 2 / 3 / 4
Asp. Tox 1	Aspiration Hazard Category 1
Eye Irrit. 2A / 2B	Eye Damage / Irritation Category 2A / 2B
Flam. Liq. 3 / 4	Flammable Liquid, Hazard Category 3 / 4
Repr. 2	Toxic to Reproduction Category 2
Skin Irrit. 2 / 3	Skin Corrosion / Irritation Category 2 / 3
Skin Sens. 1A / 1B	Sensitization — Skin Category 1A / 1B
H226	Flammable liquid and vapour.
H227	Combustible liquid.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H303	May be harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H313	May be harmful in contact with skin.
H315	Causes skin irritation.
H316	Causes mild skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H320	Causes eye irritation.
H331	Toxic if inhaled.
H361	Suspected of damaging fertility or the unborn child (exposure route).
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life.
H402	Harmful to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Abbreviation	Meaning
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, sparks, open flames and hot surfaces. — No smoking.
P233	Keep container tightly closed.
P240	Ground / bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves / eye protection / face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTRE or doctor / physician.
P301/312	IF SWALLOWED: Call a POISON CENTRE or doctor / physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove / take off immediately all contaminated clothing. Rinse skin with water / shower.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308/313	IF exposed or concerned: Get medical advice / attention.
P311	Call a POISON CENTRE or doctor / physician.
P312	Call a POISON CENTRE or doctor / physician if you feel unwell.
P330	Rinse mouth.
P331	Do not induce vomiting.
P332/313	If skin irritation occurs: Get medical advice / attention.
P333/313	If skin irritation or rash occurs: Get medical advice / attention.
P337/313	If eye irritation persists: Get medical advice / attention.
P361	Remove / take off immediately all contaminated clothing.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.

Abbreviation	Meaning
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents / container to approved disposal site, in accordance with local regulations.

*The information in this safety data sheet is to the best of our knowledge true and accurate, but all data, instructions, recommendations and/or suggestions are made without guarantee.*