

## SAFETY DATA SHEET

Printed on 13 Oct 2022

GHS: According to 2015/830/EU

Version 1 Revised 13/10/2022 9:05:22 AM

### Section 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product Identifier

Product Name VANILLA LIP FLAVOUR

Alternative Name

REACH Reg No Not registered

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Concentrated material for manufacturing purposes only

#### 1.3 Details of the supplier of the safety data sheet

Wickii  
1/19 Packer Rd  
Baringa, QLD 4551  
Australia

Telephone Number Tel No. 0434 620 919

Email Address Email: hello@wickii.com.au

#### 1.4 Emergency Tel No Emergency No. 0434 620 919

### Section 2. Hazard Identification

#### 2.1 Classification of the substance or mixture

FL 4 Flammable liquid, category 4

SS 1A Skin sensitisation, category 1A

#### 2.2 Label elements

GHS classification according to Regulation (EC) No 1272/2008

##### Hazard Pictograms



Signal Word

Warning

*This document summarises to our best knowledge at the date of issue, the chemical, health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Wickii cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.*

# SAFETY DATA SHEET

Printed on 13 Oct 2022

GHS: According to 2015/830/EU

Version 1 Revised 13/10/2022 9:05:22 AM

## Hazard Statements

- H227 Combustible liquid  
H317 May cause an allergic skin reaction

## Precautionary Statements

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P261 Avoid breathing fumes.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves and eye protection  
P302+P352 IF ON SKIN: Wash with plenty of water.  
P333+P313 If skin irritation or rash occurs: Get medical advice.  
P362+P364 Take off contaminated clothing and wash it before reuse.  
P403+P235 Store in a well-ventilated place. Keep cool.  
P501 Dispose of contents/container in accordance with local regulations.

## 2.3 Other Hazards

Contains nothing known from the allergens list which may produce an allergic reaction  
No further information available at this time

## Section 3. Composition / information on ingredients

Any percentage values listed here for hazardous components are for illustrative purposes only

### 3.2 Mixtures

Complex mixture of flavour ingredients

### Hazardous components

| ID Numbers                                | Chemical Name, Classification and Hazards                                                          | Conc (%) |
|-------------------------------------------|----------------------------------------------------------------------------------------------------|----------|
| CAS 119-84-6<br>EINECS 204-354-9<br>REACH | Dihydrocoumarin (1,2-Benzodihydropyrone) (Melilotine)<br>ATO 4(1500);SCI 3;SS 1B<br>H302,H316,H317 | <10%     |
| CAS 141-78-6<br>EINECS 205-500-4<br>REACH | Ethyl acetate<br>FL 2;EDI 2A;STO-SE 3(NE)<br>H225,H319,H336                                        | <10%     |

This document summarises to our best knowledge at the date of issue, the chemical, health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Wickii cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

# SAFETY DATA SHEET

Printed on 13 Oct 2022

GHS: According to 2015/830/EU

Version 1 Revised 13/10/2022 9:05:22 AM

|                                           |                                                                                                                                               |      |
|-------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|------|
| CAS 104-55-2<br>EINECS 203-213-9<br>REACH | Cinnamic aldehyde (3-Phenyl-2-propenal) (Cinnamaldehyde)<br>ATO 5(2500);ATD 4(1100);SCI 2;SS 1A;EDI 2A;EH A2<br>H303,H312,H315,H317,H319,H401 | <10% |
| CAS 121-33-5<br>EINECS 204-465-2<br>REACH | Vanillin<br>ATO 5(3500);EDI 2A<br>H303,H319                                                                                                   | <10% |

Refer to section 16 for the wording of listed classification and hazard statement codes

## Section 4. First Aid measures

Take phrases in section 2 into account

### 4.1 Description of first aid measures

#### After inhalation

Remove from the exposure area to fresh air. Contact a doctor if necessary.

#### After skin contact

Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.

#### After eye contact

Flush with plenty of water and seek medical advice if necessary.

#### After ingestion

Wash mouth with plenty of water and obtain medical advice immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

No further information available at this time

### 4.3 Indication of immediate medical attention and special treatment needed

No further information available at this time

## Section 5. Fire-fighting measures

### 5.1 Extinguishing Media

Carbon dioxide, foam or dry powder.  
DO NOT USE A DIRECT WATER JET.

### 5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

### 5.3 Advice for fire-fighters

Wear protective clothing and avoid inhalation of vapours. Keep containers cool with water spray

**HazChem Code** (invalid)

*This document summarises to our best knowledge at the date of issue, the chemical, health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Wickii cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.*

## SAFETY DATA SHEET

Printed on 13 Oct 2022

GHS: According to 2015/830/EU

Version 1 Revised 13/10/2022 9:05:22 AM

### Section 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition.  
Avoid inhalation, skin and eye contact.  
Ensure proper ventilation.

#### 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water

#### 6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations.

#### 6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

### Section 7. Handling and storage

#### 7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place.

#### 7.3 Specific end use(s)

No further information available

### Section 8. Exposure controls / personal protection

#### 8.1 Control Parameters

No information

#### 8.2 Exposure controls

##### Engineering controls

No information

*This document summarises to our best knowledge at the date of issue, the chemical, health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Wickii cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.*

## SAFETY DATA SHEET

Printed on 13 Oct 2022

GHS: According to 2015/830/EU

Version 1 Revised 13/10/2022 9:05:22 AM

### Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice.  
Always wash routinely before breaks, meals and at the end of the work period.

### Eye/face protection

Wear safety goggles.

### Hand protection

Wear chemically resistant disposable gloves.

### Other skin protection

Wear overalls. Always wash routinely before breaks, meals and at the end of the work period.

### Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas

### Thermal hazards

No information

### Environmental exposure controls

No information

### National Exposure Standards

(invalid)

### Biological Limit Values

(invalid)

## Section 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

FLASH POINT (°C) 69

### 9.2 Other information

No further information available

## Section 10. Stability and reactivity

### 10.1 Reactivity

Not determined

### 10.2 Chemical Stability

Not determined

*This document summarises to our best knowledge at the date of issue, the chemical, health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Wickii cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.*

## SAFETY DATA SHEET

Printed on 13 Oct 2022

GHS: According to 2015/830/EU

Version 1 Revised 13/10/2022 9:05:22 AM

### 10.3 Possibility of hazardous reactions

Not determined

### 10.4 Conditions to avoid

Extreme temperatures

### 10.5 Incompatible materials

Highly reactive chemicals which may produce unknown reaction products and so cause additional hazards.

### 10.6 Hazardous decomposition products

Not determined

## Section 11. Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Cinnamic aldehyde (3-Phenyl-2-propenal) (Cinnamaldehyde) (CAS: 104-55-2)

Oral route: LD50 = 2500 mg/kg

Dermal route: LD50 = 1100 mg/kg

Diacyetyl (2,3-Butanedione) (CAS: 431-03-8)

Oral route: LD50 = 1600 mg/kg

Inhalation route: LC50 = 3 mg/kg

Dihydrocoumarin (1,2-Benzodihydropyrone) (Melilotine) (CAS: 119-84-6)

Oral route: LD50 = 1500 mg/kg

Ethyl vanillin (CAS: 121-32-4)

Oral route: LD50 = 3000 mg/kg

Heliotropine (Piperonal) (CAS: 120-57-0)

Oral route: LD50 = 2700 mg/kg

Maltol (Methyl maltol) (3-Hydroxy-2-methyl-4-pyrone) (CAS: 118-71-8)

Oral route: LD50 = 2330 mg/kg

Vanillin (CAS: 121-33-5)

Oral route: LD50 = 3500 mg/kg

#### Skin corrosion / irritation

No data

#### Serious eye damage / irritation

No data

*This document summarises to our best knowledge at the date of issue, the chemical, health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Wickii cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.*

## SAFETY DATA SHEET

GHS: According to 2015/830/EU

Printed on 13 Oct 2022

Version 1 Revised 13/10/2022 9:05:22 AM

### **Respiratory or skin sensitisation**

No data

### **Germ cell mutagenicity**

No data

### **Carcinogenicity**

No data

### **Reproductive toxicity**

No data

### **STO-single exposure**

No data

### **STO-repeated exposure**

No data

### **Aspiration hazard**

No data

### **Information on likely routes of exposure**

No data

### **Symptoms related to the physical, chemical and toxicological characteristics**

No data

### **Delayed and immediate effects as well as chronic effects from short and long-term exposure**

No data

### **Interactive effects**

No data

### **Other information**

No data

## **Section 12. Ecological information**

### **12.1 Toxicity**

No data available. Avoid soil, surface water and water-bearing stratum contamination.

### **12.2 Persistence and degradability**

No data

*This document summarises to our best knowledge at the date of issue, the chemical, health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Wickii cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.*

**SAFETY DATA SHEET***Printed on 13 Oct 2022*

GHS: According to 2015/830/EU

*Version 1 Revised 13/10/2022 9:05:22 AM***12.3 Bioaccumulative potential**

No data

**12.4 Mobility in soil**

No data

**12.5 Results of PBT and vPvB assessment**

No data

**12.6 Other adverse effects**

No data available

**Section 13. Disposal considerations**

Please refer to the information in section 8 (Exposure controls and personal protection)

**13.1 Waste treatment methods**

Dispose in accordance with the law and local regulations. Treat as trade effluent.

**Section 14. Transport information****14.1 UN number** Unknown**14.2 UN proper shipping name****14.3 Transport hazard class(es)****14.4 Packing group**

Tunnel Code

**14.5 Environmental Hazards**

No relevant information available

**14.6 Special precautions for user**

No relevant information available

**HazChem Code** (invalid)**14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable

**Section 15. Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

No relevant information available at this time

*This document summarises to our best knowledge at the date of issue, the chemical, health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Wickii cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.*

## SAFETY DATA SHEET

Printed on 13 Oct 2022

GHS: According to 2015/830/EU

Version 1 Revised 13/10/2022 9:05:22 AM

### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out

### Section 16. Other information

#### Full list of precautionary phrases

|           |                                                                                                |
|-----------|------------------------------------------------------------------------------------------------|
| P210      | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P261      | Avoid breathing fumes.                                                                         |
| P272      | Contaminated work clothing should not be allowed out of the workplace.                         |
| P280      | Wear protective gloves and eye protection                                                      |
| P302+P352 | IF ON SKIN: Wash with plenty of water.                                                         |
| P333+P313 | If skin irritation or rash occurs: Get medical advice.                                         |
| P362+P364 | Take off contaminated clothing and wash it before reuse.                                       |
| P403+P235 | Store in a well-ventilated place. Keep cool.                                                   |
| P501      | Dispose of contents/container in accordance with local regulations.                            |

#### Wording of any hazard classes listed in section 3

|              |                                                          |
|--------------|----------------------------------------------------------|
| FL 2         | Flammable liquid, category 2                             |
| FL 3         | Flammable liquid, category 3                             |
| ATO 4        | Acute toxicity, oral, category 4                         |
| ATO 5        | Acute toxicity, oral, category 5                         |
| ATD 4        | Acute toxicity, dermal, category 4                       |
| SCI 2        | Skin corrosion/irritation, category 2                    |
| SCI 3        | Skin corrosion/irritation, category 3                    |
| SS 1         | Skin sensitisation, category 1                           |
| SS 1A        | Skin sensitisation, category 1A                          |
| SS 1B        | Skin sensitisation, category 1B                          |
| EDI 1        | Eye damage/irritation, category 1                        |
| EDI 2A       | Eye damage/irritation, category 2A                       |
| EDI 2B       | Eye damage/irritation, category 2B                       |
| ATI 3        | Acute toxicity, inhalation, category 3                   |
| STO-SE 3(NE) | Specific target organ, single exposure, narcotic effects |
| STO-RE 2     | Specific target organ, repeated exposure, category 2     |
| EH A2        | Aquatic hazard, acute, category 2                        |
| EH A3        | Aquatic hazard, acute, category 3                        |

*This document summarises to our best knowledge at the date of issue, the chemical, health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Wickii cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.*

## SAFETY DATA SHEET

Printed on 13 Oct 2022

GHS: According to 2015/830/EU

Version 1 Revised 13/10/2022 9:05:22 AM

### Wording of any hazard statements listed in section 3

|      |                                                                   |
|------|-------------------------------------------------------------------|
| H225 | Highly flammable liquid and vapour                                |
| H226 | Flammable liquid and vapour                                       |
| H302 | Harmful if swallowed                                              |
| H303 | May be harmful if swallowed                                       |
| H312 | Harmful in contact with skin                                      |
| H315 | Causes skin irritation                                            |
| H316 | Causes mild skin irritation                                       |
| H317 | May cause an allergic skin reaction                               |
| H318 | Causes serious eye damage                                         |
| H319 | Causes serious eye irritation                                     |
| H320 | Causes eye irritation                                             |
| H331 | Toxic if inhaled                                                  |
| H336 | May cause drowsiness or dizziness                                 |
| H373 | May cause damage to organs through prolonged or repeated exposure |
| H401 | Toxic to aquatic life                                             |
| H402 | Harmful to aquatic life                                           |

*This document summarises to our best knowledge at the date of issue, the chemical, health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Wickii cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.*